



Smokeless Tobacco

This reading list is a brief selection of journal articles, online reports and other web-based material on the topic of *Smokeless Tobacco*. Its purpose is to provide readers with an introduction to and overview of available literature on the topic. Listing a reference in no way implies an endorsement over other published research in this area. For a wider selection, please see our library catalogue (click on icon).



General Information

Centers for Disease Control and Prevention. *Smokeless Tobacco*. Fact sheets and video. Atlanta, GA: CDC, 2015.

Health Canada. *Smokeless Tobacco Products: A Chemical and Toxicity Analysis*. Ottawa: Health Canada, 2010.

National Cancer Institute and Centers for Disease Control and Prevention. *Smokeless Tobacco and Public Health: A Global Perspective*. NIH Publication No. 14-7983. Bethesda, MD: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention and National Institutes of Health, National Cancer Institute, 2014.

Ontario Tobacco Research Unit. *Smokeless Tobacco and Snus: The Current Evidence for Health Risks*. OTRU Update, June 2007.

Ontario Tobacco Research Unit. *What Population Surveys Say About Smokeless Tobacco Use*. OTRU Update, October 2006.

Physicians for a Smoke-Free Canada. *Smokeless Tobacco: New Trends for an Old Product*. Ottawa, March 2011.

Rickert W, Joza PJ, Trivedi AH, Momin RA, Wagstaff WG, Lauterbach JH. *Chemical and toxicological characterization of commercial smokeless tobacco products on the Canadian market*. *Regulatory Toxicology and Pharmacology* 2009 Mar;53(2):121-133.

Stanfill SB, Connolly GN, Zhang L, Jia LT, Henningfield JE, Richter PA. [Global surveillance of oral tobacco products: Total nicotine, unionised nicotine and tobacco-specific N-nitrosamines](#). *Tobacco Control* 2011 May;20(3):e2.

WHO Framework Convention on Tobacco Control. [Control and Prevention of Smokeless Tobacco Products and Electronic Cigarettes: Report by the Convention Secretariat](#). Geneva, SZ: World Health Organization, September 15, 2010.

Prevalence

Agaku IT, Awopegba AJ, Filippidis FT. [The impact of inter-survey differences in the definition of current smokeless tobacco use on comparability of US national and state-specific prevalence estimates, 2009-2011](#). *Preventive Medicine* 2015 May;74:86-92.

Chaffee BW, Couth ET, Walsh MM. [Smokeless Tobacco in Sport and Use among Adolescents](#). San Francisco, CA: Center for Tobacco Control and Education, University of California San Francisco, April 10, 2015.

Helme DW, Cohen EL, Parrish AJ. [Health, masculinity and smokeless tobacco use among college-aged men](#). *Health Communication* 2012;27(5):467-477.

McMillen R, Maduka J, Winickoff JP. [Use of emerging tobacco products in the United States](#). *Journal of Environmental and Public Health* 2012 Mar 1:989474. – full text

Nguyen K, Marshall L, Hu S, Neff L. [State-specific prevalence of current cigarette smoking and smokeless tobacco use among adults aged \$\geq 18\$ years – United States, 2011-2013](#). *Morbidity and Mortality Weekly Report* 2015 May 22;64(19):532-536. – full text

Spangler J, Song E, Pockey J, Sutfin EL, Reboussin BA, Wagoner K, et al. [Correlates of smokeless tobacco use among first year college students](#). *Health Education Journal* 2014 Nov;73(6):693-701. – pdf full text

Substance Abuse and Mental Health Services Administration, Center for Behavioral Health Statistics and Quality. [The NSDUH Report: Trends in Smokeless Tobacco Use and Initiation: 2002 to 2012](#). Rockville, MD: SAMHSA, August 7, 2014.

Tam J, Day HR, Rostron BL, Apelberg BJ. [A systematic review of transitions between cigarette and smokeless tobacco product use in the United States](#). *BMC Public Health* 2015 Mar 18;15(1):258. – full text

Tomar SL, Alpert HR, Connolly GN. [Patterns of dual use of cigarettes and smokeless tobacco among U.S. males: Findings from national surveys](#). *Tobacco Control* 2010 Apr;19(2):104-109. – full text

Advertising, Sales

Adkison SE, Bansal-Travers M, Smith DM, O'Connor RJ, Hyland AJ. [Impact of smokeless tobacco packaging on perceptions and beliefs among youth, young adults, and adults in the U.S.: Findings from an internet-based cross-sectional survey.](#) *Harm Reduction Journal* 2014 Jan 17;11:2. – pdf full text

Bromberg JE, Augustson EM, Backinger CL. [Portrayal of smokeless tobacco in YouTube videos.](#) *Nicotine and Tobacco Research* 2012 Apr;14(4):455-462. – pdf full text

Curry LE, Pederson LL, Stryker JE. [The changing marketing of smokeless tobacco in magazine advertisements.](#) *Nicotine and Tobacco Research* 2011 Jul;13(7):540-547.

Dave D, Saffer H. [Demand for smokeless tobacco: Role of advertising.](#) *Journal of Health Economics* 2013 Jul;32(4):682-697. – full text

Delnevo CD, Wackowski O, Giovenco DP, Manderski MT, Hrywna M, Ling PM. [Examining market trends in the United States smokeless tobacco use: 2005-2011.](#) *Tobacco Control* 2014 Mar;23(2):107-112. – pdf full text

Ling PM, Haber LA, Wedl S. [Branding the rodeo: A case study of tobacco sports sponsorship.](#) *American Journal of Public Health* 2010 Jan;100(1):32-41. – full text

Richardson A, Ganz O, Vallone O. [Tobacco on the web: Surveillance and characterization of online tobacco and e-cigarette marking.](#) *Tobacco Control* 2015 Jul;24(4):341-347.

Rogers JD, Biener L, Clark PI. [Test marketing of new smokeless tobacco products in four US cities.](#) *Nicotine and Tobacco Research* 2010 Jan;12(1):69-72. – full text

United States. Federal Trade Commission. [Smokeless Tobacco Report for 2012.](#) Washington, DC: FTC, 2015.

Wackowski OA, Lewis MJ, Delnevo CD, Ling PM. [A content analysis of smokeless tobacco coverage in U.S. newspapers and news wires.](#) *Nicotine and Tobacco Research* 2013 Jul;15(7):1289-1296.

Harm Reduction

Ayo-Yusuf OA, Burns DM. [The complexity of 'harm reduction' with smokeless tobacco as an approach to tobacco control in low-income and middle-income countries.](#) *Tobacco Control* 2012 Mar;21(2):245-251. – pdf full text

Berg CJ, Haardoerfer R, Escoffery C, Zheng P, Kegler M. [Cigarette users' interest in using or switching to electronic nicotine delivery systems or smokeless tobacco for harm reduction, cessation, or novelty: A cross-sectional survey of U.S. adults.](#) *Nicotine and Tobacco Research* 2015 Feb;17(2):245-255.

Mejia AB, Ling PM, Glantz SA. [Quantifying the effects of promoting smokeless tobacco as a harm reduction strategy in the USA](#). *Tobacco Control* 2010 Aug;19(4):297-305. – pdf full text

Non-Smokers' Rights Association. [Harm Reduction in Tobacco Control: What is it? Why should you care? Policy Analysis](#). Toronto: NSRA, June 2010.

Schauer GL, Malarcher AM, Babb SD. [Prevalence and correlates of switching to another tobacco product to quit smoking cigarettes](#). *Nicotine and Tobacco Research* 2015 May;17(5):622-627.

Tomar SL, Fox BJ, Severson HH. [Is smokeless tobacco use an appropriate public health strategy for reducing societal harm from cigarette smoking?](#) *International Journal of Environmental Research and Public Health* 2009;6(1):10-24.

Health Effects

Auluck A, Hislop G, Poh C, Zhang L, Rosin MP. [Areca nut and betel quid chewing among South Asian immigrants to Western countries and its implications for oral cancer screening](#). *Rural and Remote Health* 2009 Apr-Jun;9(2):1118. – pdf full text

Boffetta P, Straif K. [Use of smokeless tobacco and risk of myocardial infarction and stroke: Systematic review with meta-analysis](#). *British Medical Journal* 2009 Aug 18;339:b3060. – pdf full text

Burkey MD, Feirman S, Wang H, Choudhury SR, Grover S, Johnston FM. [The association between smokeless tobacco use and pancreatic adenocarcinoma: A systematic review](#). *Cancer Epidemiology* 2014 Dec;38(6):647-653.

Chagué F, Guenancia C, Gudjoncik A, Moreau D, Cottin Y, Zeller M. [Smokeless tobacco, sport and the heart](#). *Archives of Cardiovascular Diseases* 2015 Jan;108(1):75-83.

Critchley JA, Unal B. [Health effects associated with smokeless tobacco: A systematic review](#). *Thorax* 2003 May;58(5):438-443. – pdf full text

European Commission. Scientific Committee on Emerging and Newly Identified Health Risks. [Health Effects of Smokeless Tobacco Products](#). Brussels, BG: Health & Consumer Protection DG, 2008.

Gupta B, Johnson NW. [Systematic review and meta-analysis of association of smokeless tobacco and of betel quid without tobacco with incidence of oral cancer in South Asia and the Pacific](#). *PLoS One* 2014 Nov 20;9(11):e1113385. – full text

Henley SJ, Connell C, Richter PA, Husten CG, Pechacek T, Calle EE. [Tobacco-related disease mortality among men who switched from cigarettes to spit tobacco](#). *Tobacco Control* 2007 Feb;16(1):22-28. – full text

Jiang X, Alfredsson L, Klareskog L, Bengtsson C. *Smokeless tobacco (moist snuff) use and the risk of developing rheumatoid arthritis: Results from the Swedish Epidemiological Investigation of Rheumatoid Arthritis (EIRA) case-control study*. *Arthritis Care and Research* 2014 Oct;16(10):1582-1586.

National Cancer Institute. *Smokeless Tobacco or Health: An International Perspective*. Smoking and Tobacco Monograph 2. Bethesda, MD: US Department of Health and Human Services, National Institutes of Health, National Cancer Institute, 1992.

Ontario Tobacco Research Unit. *Smokeless Tobacco and Snus: The Current Evidence for Health Risks*. OTRU Research Update, June 2007.

Piano MR, Benowitz NL, Fitzgerald GA, Corbridge S, Heath J, Hahn EJ. *Impact of smokeless tobacco products on cardiovascular disease: Implications for policy, prevention, and treatment: A policy statement from the American Heart Association*. *Circulation* 2010 Oct 12;122(15):1520-1544. – pdf full text

Sand L, Wallström M, Hirsch JM. *Smokeless tobacco, viruses and oral cancer*. *Oral Health and Dental Management* 2014 Jun;13(2):372-378.

United States. Department of Health and Human Services. *The Health Consequences of Using Smokeless Tobacco: A Report of the Advisory Committee to the Surgeon General*. Bethesda, MD: U.S. Department of Health and Human Services, Public Health Service, 1986.

Whitehead TP, Havel C, Matayer C, Benowitz NL, Jacob P. *Tobacco alkaloids and tobacco-specific nitrosamines in dust from homes of smokeless tobacco users, active smokers, and non-tobacco users*. *Chemical Research in Toxicology* 2015 May 18;28(5):1007-1014.

World Health Organization. *Smokeless Tobacco and Some Tobacco-specific N-Nitrosamines*. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 89. Lyon, FR: World Health Organization, International Agency for Research on Cancer, 2007.

Yatsuya H, Folsom AR. *Risk of incident cardiovascular disease among users of smokeless tobacco in the Atherosclerosis Risk in Communities (ARIC) Study*. *American Journal of Epidemiology* 2010 Sept 1;172(5):600-605. – pdf full text

Quitting Smokeless Tobacco Use

American Cancer Society. *Guide to Quitting Smokeless Tobacco*. February 20, 2014.

Danaher BG, Severson HH, Zhu SH, Andrews JA, Cummins SE, Lichtenstein E, et al. *Randomized controlled trial of the combined effects of web and quitline interventions for smokeless tobacco cessation*. *Internet Interventions* 2015 May 1;2(2):143-151.

Ebbert J, Montori VM, Erwin PJ, Stead LF. *Interventions for smokeless tobacco cessation*. *Cochrane Database of Systematic Reviews* 2011 Feb 16;(2):CD004306.

Ebbert JO, Severson HH, Croghan IT, Danaher BG, Schroeder DR. *Comparative effectiveness of the nicotine lozenge and tobacco-free snuff for smokeless tobacco reduction*. *Addictive Behaviors* 2013 May;38(5):2140-2145. – pdf full text

Fagerström K, Gilljam H, Metcalfe M, Tonstad S, Messig M. *Stopping smokeless tobacco with varenicline: Randomised double blind placebo controlled trial*. *BMJ* 2012 Dec 6;341:c6549. – pdf full text

Mushtag N, Boeckman LM, Beebe LA. *Predictors of smokeless tobacco cessation among telephone quitline participants*. *American Journal of Preventive Medicine* 2015 Jan;48(Issue 1, Suppl 1):S54-S60.

Schwartz J, Fadahunsi O, Hingorani R, Mainali NR, Oluwasanjo A, Aryal MR, Donato A. *Use of Varenicline in Smokeless Tobacco Cessation: A Systematic Review and Meta-Analysis*. *Nicotine and Tobacco Research* 2015 Feb 2 [Epub ahead of print].

Severson HH, Danaher BG, Ebbert JO, van Meter N, Lichtenstein E, Widdop C, et al. *Randomized trial of nicotine lozenges and phone counseling for smokeless tobacco cessation*. *Nicotine and Tobacco Research* 2015 Mar;17(3):309-315.

Other Forms of Smokeless Tobacco

Note: Please see separate reading list on **Electronic Cigarettes**
http://otru.org/wp-content/uploads/2013/11/e_cigarettes.pdf

Anand R, Dhingra C, Prasad S, Menon I. *Betel nut and its deleterious effects on oral cavity*. *Journal of Cancer Research and Therapeutics* 2014 Jul-Sep;10(3):499-505.

Blank M, Deshpande L, Balster RL. *Availability and characteristics of betel products in the U.S.* *Journal of Psychoactive Drugs* 2008 Sep;40(3):309-313. – full text

Centers for Disease Control and Prevention. *Fact Sheet: Betel Quid with Tobacco (Gutka)*. Atlanta, GA: CDC, 2013.

Changrani J, Gany FM, Cruz GD, Kerr R, Katz R. Paan and gutka use in the United States: a pilot study in Bangladeshi and Indian-Gujarati immigrants in New York City. *Journal of Immigrant and Refugee Studies* 2007;4(1):99-110. – full text

World Health Organization. *Betel-Quid and Areca-Nut Chewing and Some Areca-Nut-Derived Nitrosamines*. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 85. Lyon, FR: World Health Organization, International Agency for Research on Cancer, 2004.